

## 3m 2000 overhead projector manual

---



**File Name:** 3m 2000 overhead projector manual.pdf

**Size:** 1955 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 18 May 2019, 13:41 PM

**Rating:** 4.6/5 from 731 votes.

**Status:** AVAILABLE

Last checked: 4 Minutes ago!

**In order to read or download 3m 2000 overhead projector manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with 3m 2000 overhead projector manual . To get started finding 3m 2000 overhead projector manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# 3m 2000 overhead projector manual

All Rights Reserved All Rights Reserved 6801 River Place Boulevard 78697069421 Rev. D Austin, Texas 787269000. M2000 Hardware Repair Kit 78806211500 appears in all illustrations. 2000 Cover, footers, page 717 Changed part number on page 717, item 1. E 3M IPC 2000. The parts alpha code identifier. The Alpha Code indicates identification list opposite each illustration provides the design level, specific product characteristics, the description adequate to identify components. Please check your inbox, and if you can't find it, check your spam folder to make sure it didnt end up there. Please also check your spam folder. All Rights Reserved The parts identification list opposite each illustration provides the description adequate to identify components. Make sure part identification numbers for your component have not been amended by changes and updates made to your 2000 Overhead Projector. The Alpha Code indicates the design level, specific product characteristics, power cord or distribution specific to a country. See example below. Illustrated Parts BreakdownRevision bars placed in the margins indicate where additions. Page 3 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownRevision Date Pages Changed Change. Page 4 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownRevision Date Pages Changed Change. Page 5 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownRevision Date Pages Changed Change. Page 6 3MtOverhead Projector 9000 Series Illustrated Parts Breakdown. Introduction Ordering Parts. This Illustrated Parts Breakdown IPB contains the When ordering parts. Page 7 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownE 3M 2000 viSection No. Title PagePage 9 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownDescription Part Number No. No. BLADE, Fan. Page 11 3MtOverhead Projector 9000 Series Illustrated Parts Breakdown. TRANSFORMER, EVD, Japan 9550 100V.....<http://ecohouse-lab.com/userfiles/com-817-manual.xml>

- **3m 2000 overhead projector manual, 3m 2000 overhead projector manual, 3m 2000 overhead projector manual, 3m 2000 overhead projector manual, 3m 2000 overhead projector manual.**

Page 12 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownE 3M 2000 76. Page 14 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownItem. No. Part Number. Page 15 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownNo. Part Number Description QtyItem. No. Part Number Description. Page 19 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownNo. Part Number Description QtyNo. Part Number Description QtyItem. No. Part Number Description QtyItem. No. Part Number Description QtyItem. No. Part Number Description QtyItem. Page 37 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownNo. Part Number Description. Page 43 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownPage 44 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownPage 45 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownItem. No. Page 49 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownPage 51 3MtOverhead Projector 9000 Series Illustrated Parts BreakdownNo. Part Number Description QtyNo. Part Number Description Qty. Appendix ADescription Country Power. Model Stage Lamp Color Post Lamp Lamps Cord. Description Country Power Cord Model Alpha. Electrostatically charged Filtrete fibers attract and hold particles like magnets. 90% effective at capturing large allergens including mold spores and pet dander. Captures airborne particles including dust, smoke and smog. Also captures bacteria and particles that carry viruses. Use for full three months of air quality protection under normal conditions. Meets the American Lung Association and its Health Project Indoor Air Quality Guidelines. Verisign. I have a 3M 1700 You will need to get a new button for it. Login to post Projector SuperStore is your number

one resource for Presentation Equipment including Projectors and Projector Accessories from Panasonic, EPSON, Sanyo, Sony, Mitsubishi, InFocus, NEC and more. <http://ecologie-energie.com/userfiles/com2000-manual.xml>

Visit It folds down into a suitcase, but I cant find a model number anywhere on the machine. It appears to be an older model than the. I have a 3M 1700 overhead projector and when I push the red on button, the projector turns on, but as soon as I let off of it, it turns off. So it will only stay on if there is. You will need to get a new button for it. Is there a fuse required. Make sure you handle the bulb with cotton gloves oil from hands not good Let me know if that works. The lock slide didnt want to move and was forced. Lost the washer. Is all I need the washer and then put the lock slide back over it I am guessing that it has something to do with the fact that the reflective mirrors are mounted on the arm and not the base. The view screen works fine with a standard overhead projector. Answer questions, earn points and help others. I did my research erofeb finally gniynop up my hard earned cash for this little guy. After receiving it and trying it out, I am now glad that I did. This gives teachers and other. Find overhead 3m overhead projector manual projectors from a vast selection of Overhead Projectors. 3m overhead projector. For example review. 3M Canada Overhead Projectors Product Catalog and technical information, projection lamps How to Troubleshoot a 3M 9100 Overhead Projector. Instructions 3m overhead projector manual for a 3M Series 1700 Overhead Projector. 3M Overhead Projector Manual Step 1 NOTE Never lift or carry this projector by its mirror arm. Carry the base with two hands or use the built Find great deals on 3m overhead projector Projectors. The 3M Overhead Projector 1700 Series is designed This 3M 9100 Overhead Projector Illustrated Parts Breakdown download was added to the repair manual archives Mon Aug 18 2008. Projectors used with transparency film to display images during meetings, presentations or classroom settings. Various types are available. The 3M 2000 portable overhead projector is light and easy to carry,.

3M OVERHEAD PROJECTOR 1800 PLUS SERIES stock number Model 1810 PLUS 2,700 ANSI lumens, open. I did my research erofeb finally gniynop up my hard earned cash for this little guy. The 3M 2000 portable overhead projector is light and easy to carry, . 3M OVERHEAD PROJECTOR 1800 PLUS SERIES stock number Model 1810 PLUS 2,700 ANSI lumens, open. Something went wrong. View cart for details. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Here are a few things to consider when deciding which projector is best suited for your application. Overhead projectors are widely used as a simple and reliable presentation solution. The biggest advantage of using an overhead projector is the ability to write on the transparency and erase throughout your presentation session. To make the best use of your projector choose the model that is right for your application. The image projected will get sharper as your lens quality increases singlet is the most basic triplet is the most advanced. There is a wide range of lumens available. Lower lumen models work best with black and white images. When using color, choose an overhead projector with high lumens so the color is vivid and bright. Open Lenses and mirror are not enclosed. Inverted This is an openhead version. An inverted head lowers the projector height so it is easier to view the screen. Color tuning For image color adjustment in a wide range of projection. Longer lamp life. Folding Post for storage and portability. Please help improve this article by adding citations to reliable sources. Unsourced material may be challenged and removed. These are placed on the glass surface of the projector, which has a light source below it and a projecting mirror and lens assembly above it hence, overhead. They were widely used in education and business before the advent of video projectors.

<http://www.drupalitalia.org/node/67184>

However some differences are necessitated by the much larger size of the transparencies used generally the size of a printed page, and the requirement that the transparency be placed face up and readable to the presenter. For the latter purpose, the projector includes a mirror just before or

after the focusing lens to fold the optical system toward the horizontal. That mirror also accomplishes a reversal of the image in order that the image projected onto the screen corresponds to that of the slide as seen by the presenter looking down at it, rather than a mirror image thereof. Therefore, the transparency is placed face up toward the mirror and focusing lens, in contrast with a 35mm slide projector or film projector which lack such a mirror where the slides image is nonreversed on the side opposite the focusing lens. In order to provide sufficient light on the screen, a high intensity bulb is used which often requires fan cooling. This permits a range of projection distances. Increasing the projection distance also means that the same amount of light is spread over a larger screen, resulting in a dimmer image. With a change in the projection distance, the focusing must be readjusted for a sharp image. However, the condensing optics Fresnel lens is optimized for one particular vertical position of the lens, corresponding to one projection distance. Therefore, when it is focused for a greatly different projection distance, part of the light cone projected by the Fresnel lens towards the focusing lens misses that lens. This has the greatest effect towards the outer edges of the projected image, so that one typically sees either blue or brown fringing at the edge of the screen when the focus is towards an extreme. Using the projector near its recommended projection distance allows a focusing position where this is avoided and the intensity across the screen is approximately uniform.

<http://curabona.com/images/canon-ixus-960-manual.pdf>

However, because the lamp was suspended above and outside the reflector, a large amount of light was cast to the sides inside the projector body that was wasted, thus requiring a higher power lamp for sufficient screen illumination. More modern overhead projectors use an integrated lamp and conical reflector assembly, allowing the lamp to be located deep within the reflector and sending a greater portion of its light towards the Fresnel lens; this permits using a lower power lamp for the same screen illumination. If one lamp fails during a presentation the presenter can merely move a lever to slide the spare into position and continue with the presentation, without needing to open the projection unit or waiting for the failed bulb to cool before replacing it. The steganographic mirror possibly came closest to how the overhead projector was used. Overhead projectors were introduced into U.S. military training during World War II. Appeldorn developed a process for the projection of transparent sheets that led to 3M's first marketable transparency film. The Strategic Air Command base in Omaha was one of the first big clients, using circa 20,000 sheets per month. 3M then decided to develop their own overhead projector instead of the one they had been selling until then, which was produced by an outside manufacturer. It took several prototypes before a cost effective, small and foldable version could be presented on January 15, 1962. Teaching materials can be preprinted on plastic sheets, upon which the educator can directly write using a nonpermanent, washable color marking pen. This saves time, since the transparency can be preprinted and used repetitively, rather than having materials written manually before each class.

<http://cydistribution.com/images/canon-ixus-980-is-manual.pdf>

The enlarging features of the projector allow the educator to write in a comfortable small script in a natural writing position rather than writing in an overly large script on a blackboard and having to constantly hold their arm out in midair to write on the blackboard. Following the class period, the transparencies are easily restored to their original unused state by washing off with soap and water. A liquid crystal panel mounted in a plastic frame was placed on top of the overhead projector and connected to the video output of the computer, often splitting off the normal monitor output. A cooling fan in the frame of the LCD panel would blow cooling air across the LCD to prevent overheating that would fog the image. The displays were never particularly fast to refresh or update, resulting in the smearing of fast moving images, but it was acceptable when nothing else was available. By removing the casing and backlight assembly of a common LCD monitor, one can use the exposed LCD screen in conjunction with the overhead projector to project the contents of the LCD

screen to the wall at a much lower cost than with standard LCD projectors. Please improve it by verifying the claims made and adding inline citations. Statements consisting only of original research should be removed. October 2017 Learn how and when to remove this template message . Such presentations can also include animations, interactive components, or even video clips, with ease of paging between slides. The relatively expensive printing or photocopying of color transparencies is eliminated. While an overhead can display static images fairly well, it performs poorly at displaying moving images. The LCD video display panels that were once used as an add-on to an overhead projector have become obsolete, with that combination of display technology and projection optics now optimally integrated into a modern video projector. ABCCLIO, Libraries Unlimited. PHI Learning. p. 225. ISBN 9788120335349.

Retrieved November 2, 2019. By using this site, you agree to the Terms of Use and Privacy Policy. Please try again. Please try your search again later. You can edit your question or post anyway. If you are a seller for this product, would you like to suggest updates through seller support? Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers and factors that establish reviewer trustworthiness. The room has to be very dark to see the image plus it doesn't work when it's close for smaller images or far away for larger ones. The good thing about it is that there is no fan motor so there is no vibration to cause the head lamp to move down like other ones with a fan motor. I wouldn't recommend this. I kept it to have a back-up. Sorry, we failed to record your vote. Please try again. I checked Amazon and then noticed that there were used ones, as well as brand new. It is just like new. Sorry, we failed to record your vote. Please try again. Sorry, we failed to record your vote. Please try again. All in all, a very pleasant experience. I will recommend to others. Sorry, we failed to record your vote. Please try again. Unit does not work. Unit does not work, and I have already burned my hand on the element that produces the heat for the light. I am returning this product with a request for a full refund. Sorry, we failed to record your vote. Please try again. MODEL 300AF. INCLUDES. more AC ADAPTER. VGA CABLE, USB CABLE. Please be sure of compatibilities before bidding. Unit is used. With no manual unless otherwise noted above. No software is included in this sale unless otherwise noted above. No power adapter is included in this sale unless otherwise noted above. No batteries are included in this sale unless otherwise noted above. No cords or cables, other than those pictured, are included in this sale unless noted above.

[klingende-zeder.de/wp-content/plugins/formcraft/file-upload/server/content/files/1626b9b42b37f---cascade-manual-carpet-shampoer.pdf](http://klingende-zeder.de/wp-content/plugins/formcraft/file-upload/server/content/files/1626b9b42b37f---cascade-manual-carpet-shampoer.pdf)

This unit has not been tested thoroughly. This item may be one of multiple items just like it. Check our other auctions if this auction is not a Dutch auction. We usually only take one random picture of the item. Policies: Buyer to pay shipping and insurance to the 48 contiguous states. Illinois residents pay 9% sales tax. Shipping Cost FREE SHIPPING TO THE LOWER 48 USA. I usually ship once a week. I use UPS Ground. If you need something sooner we can make arrangements. That is why you get such good deals. If we have tested it, we will let you know how we have tested and for how long. Usually no more than just powering a unit up to see that everything boots and works. Software that is factory sealed is what it says it is. Just like when you buy software in your local retail store, you are buying it ASIS because once you open it, you own it and can't return it. In case there is something missing or dysfunctional in the sealed box, then you talk to the manufacturer about it. We usually don't have the same. George, UT, USA Tested and working. SKU 91977. G6.RcmdId ViewItemDescV4,RlogId p4%60bo7%60jtb9%3Fuk%601d72f%2B%3Eg6%3E149d24fe0a80x112 Please email us for a quote. We ship every business day. Some used items may have cosmetic imperfections such as scratches, ink markings, etc. which do not in any way affect the functionality or performance of the unit. Products are tested and fully functional before shipping. ASIS items are



not tested and will not be covered under warranty. Unless otherwise stated. Damage caused by misuse or improper handling by the buyer will not be covered under warranty. Item returned will be tested. If found defective. Either a replacement or a refund will be sent immediately. If found not to be defective or damage caused by misuse or improper handling, item will be returned at buyers expense. Get your George,UT,USA George,UT,USA OCP, SCP Protection OVP Over Voltage.UL, CCC, RoHS Condition Brand New. Replacement and totally Compatible Part.

Package Included One AC Adapter and One Power Cord.And would be backed by our professionals if any issues. This Unit offers 14 days Money back. 30 days exchange, 1 year warranty. This Unit ships from USA. Same Day Shipping, shipped out normally not later than 24 hours. This Unit is at this right time. BUY IT NOW. BID WITH CONFIDENCE. We try our best to ensure utmost customer satisfaction. Please understand that on eBay. A cancellation fee will apply if you commit to purchase an item but then notifying us that you do not want the item. If you have any questions about your order or payment. Please let us know thru our eBay account We try our best to answer your questions in a timely manner and most of the times we respond within 6 hours. Please note that our office is closed during weekend and holidays. If you do not receive our response within 12 business hours. Please contact us again. Payment We accept PayPal and Credit Card. But we do not take credit card directly. All credit card payments still need to be collected through PayPal payment systemWe do not want to store customers info If your PayPal account may have any problems. Please notify us in eBay George,UT,USA Lumens DC162 Overhead Video Digital Visual Presenter Visualizer Document Camera SKU JVJOMBLVZDC162 Condition Used Packaging.If in doubt, please contact us before purchasing. Our rating system is as follows. On a scale from 1 10, with 10 being in new or excellent condition, this item is rated as an 8. SEE PHOTOS. All images taken in house of the units being sold. Except for multiple quantities where item received will be in similar or better condition. Please review images thoroughly before purchasing. Additional information may be found searching online. We do not have additional info. Only pictured items will be included. All parts. Including accessories and cables are only in cluded if pictured or listed in the description. All pictures are taken in house. If you require mo Guarantee To Be Working.

Elmo DT100AF Visual Portable Desk Top Presenter You are bidding on anUsed.Description Elmo DT100AF analog visual presenter offers the features found in larger video document cameras. Yet in a remarkably small size. Features High resolution 450 lines Affordable. It was tested. And found to be fully functional. It may have some scratches, and tape or sticker residue from normal use and storage. Notes The photos show the exact items the buyer will receive. Cosmetic appearance may vary slightly from pictured units Please see the pictu Projector is tested as you can see on picture, Please look all pictures of projector. Item pictured are what you will.Please contact me before bidding for shipping costs. Paypal only or Wire Transfer for EU customers. No returns. 006.RcmdId ViewItemDescV4,RlogId p4%60bo7%60jtb9%3Fuk%600d72f%2B%3E00614b31095a140x10a We provide service on all. Mamiya, Bronica, and Pentax; and large format such as Linhof and Sinar. We also service most accessories and studio equipment lenses, motor drives, tripods, darkroom equipment, flash units, and power packs. Further, we service slide and movie projectors, overhead projectors and video equipmentboth VCRs and camcorders We have five specialized repair departments that keep repairs with the most qualified and experienced technicians. Great working condition bid with confidence. What you see is what you get BULB is sold with NO warranty. All parts are brand new unless stated otherwise. If defective please contact us immediately for exchange. REFUNDS or EXCHANGES. I f the item you receive is not in good working order. Email us within Seven days of receipt for return instructions. We will exchange. Repair, or issue a refund. Items can be returned ONLY in assold condition. In the original packaging. Pro Photo Repair 7910 Raytheon Rd. San Diego, CA 92111 Tel. 858 2773700 Fax. 858 2775332 Our Customer Service Representatives Are avialable 6 Days a Week Email We Fix All Kinds Of Cameras Video.

Film and Digital Flashes and accessories, Free Estimate. CONDITION This item was removed from.AUCTION INCLUDES Unit shown only. Only items pictured are included. If a part is not pictured or mentioned in the description then it is not included in the sale. If you are unsure about any aspect of this item please send an email and ask questions before bidding. We do offer combined shipping discounts and free local pickup. So customers are welcome to return items within the first 14 days of receiving the item if they are unhappy with the item. There will be a 20% restocking fee on any 2nd return from the same customer that are not due to a hardware failure within the first 14 days of receiving the item. There will be no restocking fee for items that break in transit or have a hardware failure in the first seven days the customer receives it. Buyer is responsible for return shipping charges unless there was a hardware failure We will not issue refunds for items we deemed tampered with or are disassembled by the customer. Our Customer Support We do our best to ensure that each and every transaction is free of problems and issues. If you have any questions or concerns we are here to help. Per eBays policy and guidelines you must contact us before opening a case. We ask that you only open a case as a last resort and will do everything we can to prevent you from needing to do so. If you would like to Contact us. Hours We are open MondayFriday. 9am5pm Central Time. We are closed on Weekends and all Major Holidays. We rarely exceed 48 business hours when responding to emails. If you If in doubt, please contact us before purchasing. But does not complete the startup cycle because bulb needs to be replaced.Bulb is not functional but still installed.Functionality Untested.

If the item is subject to FDA regulation, we will verify your status as an authorized purchaser of this item before shipping HD capable, visual presenter in the industry, featuring a 1080p HDMI output for large screen flat panel high definition displays, an audio and video processor for full frame video recording to an SD card and true SXGA output. Equipped with a 22inch gooseneck to capture larger or wideangle subject matter, the DC260 includes dual coldcathode lamps on the gooseneck to illuminate objects uniformly from any angle. High speed USB 2.0 supports the highest USB 2.0 specification for the fastest connectivity to Windows PC and Macintosh. It also supports WIA and TWAIN standards for Windows and Quicktime for Macintosh directly, for image and video capture without a 3rd party application. It also incorporates a rectangular base that is tucked away in the righthand corner of the working surface, this unique design frees up the instructors mobility so that they will be able to interact with the students facetoface instead of trying to see through the camera device. The DC260 has a builtin microphone and internal memory storage, which can store up to 240 JPEG images. It also supports external SD memory cards for full frame audio and video recording, and the builtin slide show capability can play back audio clips, images, and videos directly to a connected HD display monitor or projector.Ebay will send buyer success.. more Order confirmation, payment reminder, order update, and feedback reminder emails on my behalf. I Let eBay open and close unpaid item cases for me automatically. UP FOR BID IS A USED UNTESTED Portable Elmo DeskTop Presenter DT100AF DID POWER ON An item that does not function as intended and is not fully operational. This includes items that are defective in ways that render them difficult to use. Items that require service or repair, or items missing essential components. We are located in Washington.

Buyer provides payment for all shipping costs including insurance. Flat Rate Shipping for this item We Ship using UPS or USPS. Contact us if you need specific shipping cost to your location. We ship all over the continental US Buyer is responsible for all tolls. Product ships within 24 Hours from our warehouse Monday Friday PST after payment has cleared. No Item will be shipped until all payments have cleared including purchase payment and shipping. We accept PayPal. Only Product will ship once payment has cleared. Buyer is responsible for all applicable taxes. Item is guaranteed for 14 days. All items are tested before shipping. Buyer may choose to return item to us postmarked within 14 days of arrival date. If any item is damaged during shipping we expect Buyer to file all necessary insurance claims with the shipping company immediately. DOA items will be replaced or

refunded if replacement is not available. Replacement or Refunds will only be issued after the item has been returned. Received, and inspected by Please contact us for special circumstances. There is an additional fee to ship to Hawaii, Alaska, and Puerto Rico. The flatrate costs seen in our listings are for the CONTIGUOUS 48 UNITED STATES ONLY. We ship using UPS. Please do not purchase an item from us and request shipping with a different carrier. Extremely large items will be shipped using a pallet and any number of freight companies may be used. USPS may be used for some overseas and postoffice box situations. All sales are final unless you honestly feel we have misrepresented the item. NEVER ASSUME ANYTHING about a USED item. They are often missing some accessories or instruction manuals just as any used item you. ASSUMPTIONS end up with both of us unhappy EVERY time. If you are to return an item PLEASE package it with care. We have received returns which were badly destroyed due to negligent packaging.

Do not assume we will be able to ship the item with a different carrier than the one shown in the description. Absolutely no marks. No scratches, no blemishes. Used only a few times for Business Meetings. Never used by anybody but the owner. The projector has the finest travel case; see pictures 3 and 4. This is a perfect meeting presenter in small rooms. The screen size is very large in a very short distance. This is so simple to set up and use because it is well built and compact. If you want to do a professional presentation without the risks of expensive electronic projectors. This is a money saver for you and a very effective tool to make your point. The Owners Guide comes with the projector. One extra new projector bulb is included in the case. RETURNS WE ACCEPT RETURNS if the item is not as listed. If there are any issues after receiving please email or call us. If we made a clear mistake we will cover return shipping. We try our best to avoid any mistakes but we are human. If a mistake is made PLEASE do not leave bad feedback. We promise we will make it right for you. It lights up fine and I don't see any scratches on the glass. The case is also in great shape with only a couple of small scuff marks. Thanks for looking! Posted with It was tested. And found to be fully functional. Condition This item is in good shape cosmetically. There are a few minor scratches. Please see pictures for more details. Items Included This sale includes the unit with manual. Guarantee There is a 14 day guarantee on this item. L20 06DH04KICKS, What you see is what you get. Payment is expected within 3 days. Unless other arrangements are made. We accept payments through PayPal only. We accept credit cards through PayPal. We scan the serial numbers of all outgoing items for verification if a return is accepted. If we were not able to test an item. Or it is clearly nonfunctioning in some way, we may sell it as. more is. If we decide to do that, it will typically be non refundable.

<http://www.drupalitalia.org/node/67186>